

Customer Contact
1300 COUNCIL (1300 268 624)
07 4679 4000
www.wdrc.qld.gov.au

OUR COMMUNITIES | OUR FUTURE



Public Notice

Changes to Regional Water Restrictions

As per Western Downs Regional Council's Water Restriction Policy, Council would like to advise customers of a change to Water Restriction levels.

Water Restriction level changes will affect customers connected to the Dalby water supply.

Permitted watering times and devices for all levels shall apply as follows:

- Normal** - All watering devices allowed between Midnight - 9am and 4pm - Midnight
- Conservation** - Hand held hoses and permitted drip systems allowed between 6am - 9am and 4pm - 7pm
- Emergency** - Bucket use allowed anytime

Odd or unnumbered properties are permitted to water as allowed by the level applicable on Wednesday, Friday and Sunday, with all even numbered properties permitted to water on Tuesday, Thursday and Saturday.

A total outside water ban will continue to apply on Mondays to all Water Restriction levels. Bucket watering is allowed at any time (excluding Mondays).

Water Restriction levels effective from midnight **Friday 4th December 2020** and apply as follows:

Normal		Conservation	Emergency
Brigalow	The Gums	Bell	Kaimkillenbun
Dulacca	Warra	Condamine	
Glenmorgan	Wandoan	Chinchilla	
Jimbour	Westmar	Dalby	
Kogan		Jandowae	
Meandarra		Tara	
Miles			
Moonie			

All customers connected to a Western Downs Regional Council water supply are advised that Authorised Council Officers will be conducting regular patrols monitoring adherence to the programme and all customers are requested to abide by the restrictions, as failure to do so will incur a fine.

This notice is issued in accordance with *Division 3 of the Water (Supply & Reliability) Act 2008 – Power to Restrict Water Supply*.

For further information on watering restrictions, visit www.wdrc.qld.gov.au/water/water-restrictions or contact Council's Customer Contact Centre on **1300 COUNCIL** (1300 268 624).

Graham Cook
GENERAL MANAGER (INFRASTRUCTURE SERVICES)

